


Monitoring Amphibians in Great Smoky Mountains National Park



Circular 1258

**U.S. Department of the Interior
U.S. Geological Survey**

By C. Kenneth Dodd, Jr.



Photographs by: Author unless otherwise noted, between 1998 and 2002. All animals were photographed within Great Smoky Mountains National Park.

Color illustrations by: Jacqueline Grant, Cornell University.

Layout: Patsy Mixson

Graphic Design: Jim Tomberlin

*Monitoring Amphibians in Great Smoky
Mountains National Park*

By C. Kenneth Dodd, Jr.

U.S. Geological Survey Circular 1258

U.S. Department of the Interior
U.S. Geological Survey

U.S. DEPARTMENT OF THE INTERIOR
GALE A. NORTON, Secretary

U.S. GEOLOGICAL SURVEY
CHARLES G. GROAT, Director

The use of firm, product, trade, and brand names in this report is for identification purposes only and does not constitute endorsement by the U.S. Geological Survey.

**Tallahassee, Florida
2003**

For additional information write to:

C. Kenneth Dodd, Jr.
Florida Integrated Science Center
U.S. Geological Survey
7920 N.W. 71st Street
Gainesville, Florida 32653

For additional copies please contact:

U.S. Geological Survey
Branch of Information Services
Box 25286
Denver, CO 80225-0286
Telephone: 1-888-ASK-USGS
World Wide Web: <http://www.usgs.gov>

Library of Congress Cataloging-in-Publication Data

Dodd, C. Kenneth.

Monitoring Amphibians in Great Smoky Mountains National Park / by C. Kenneth Dodd, Jr.

p. cm. — (U.S. Geological Survey circular ; 1258)

Includes bibliographical references.

ISBN 0-607-93448-4 (alk. paper)

1. Amphibians — Monitoring — Great Smoky Mountains National Park (N.C. and Tenn.) 2. Great Smoky Mountains National Park (N.C. and Tenn.) I. Title. II. Series.

QL653.N8D64 2003

597.8'09768'89—dc22

2003061257



Contents

1	Abstract	43	Choosing Sampling Sites
2	Introduction	44	Sampling Watersheds
4	Acknowledgments	44	Sampling Streams
5	How to Use this Guide	44	Sampling Locations
6	Amphibians of the Great Smoky Mountains	45	Sampling Techniques and Protocols
6	Species Richness	45	Active Sampling
7	Habitats and Distribution	53	Easy Passive Sampling
11	Salamanders	60	Intensive Passive Sampling
20	Frogs	63	Data Handling
20	Ponds	63	Field Data
23	Woodland Pools	64	Spreadsheets and Databases
23	Grassy Ditches, Pools, and Rivulets	64	Analysis and Software
23	Streams and Rivers	66	Equipment and Training
26	Other Breeding Sites	67	Biosecurity and Disease
26	Life History	67	Biosecurity Protocol
29	Areas of Particular Amphibian Species Richness	68	Disease Protocols
29	Identification	69	Methods
29	Salamanders	69	Live and Sick Amphibians
30	Frogs	69	Dead Amphibians
33	Additional Information	70	Labels
34	Monitoring Programs	70	Mailing
34	Why Monitor Amphibians?	71	Quarantine of Amphibians
35	Things to Consider During Planning	71	Malformations
40	Species and Locations to Monitor	72	Conclusions
		74	Summary
		76	References on Inventorying and Monitoring Amphibians

Appendixes

- 82 Appendix I. Location of selected wetland sampling sites in Great Smoky Mountains National Park
- 83 Appendix II. Example of a field data sheet prepared for amphibian surveys in Great Smoky Mountains National Park
- 84 Appendix III. Sampling equipment
- 87 Appendix IV. Guidelines for building and operating remote field recorders (automated frog call data loggers)

Plates

Amphibians

- 100 1A. Marbled Salamander (*Ambystoma opacum*). Stupka's Sinkhole Pond, Cades Cove.
- 100 1B. Spring Salamander (*Gyrinophilus porphyriticus*). Andrews Bald.
- 101 2A. Shovel-nosed Salamander (*Desmognathus marmoratus*). Mill Creek, Cades Cove.
- 101 2B. Jordan's Salamander (*Plethodon jordani*). Clingmans Dome.
- 102 3A. American Toad (*Bufo americanus*). Cades Cove.
- 102 3B. Wood Frog (*Rana sylvatica*). Gregorys Cave, Cades Cove.

Habitats

- 104 4A. View southwest from Clingmans Dome.
- 104 4B. Mt. LeConte.
- 105 5A. Top of Andrews Bald, view toward Thunderhead Mountain.
- 105 5B. Clingmans Dome (highest point in the Great Smokies).
- 106 6A. Cades Cove, view to southeast.
- 106 6B. Cades Cove, view toward Gregorys Bald (hidden in clouds).

Larvae and Tadpole Mouthparts

- 108 7A. Spotted Salamander (*Ambystoma maculatum*).
- 108 7B. Marbled Salamander (*Ambystoma opacum*).
- 108 7C. Mole Salamander (*Ambystoma talpoideum*).
- 109 8A. Hellbender (*Cryptobranchus alleganiensis*).
- 109 8B. Spotted Dusky Salamander (*Desmognathus conanti*).
- 109 8C. Imitator Salamander (*Desmognathus imitator*).
- 109 8D. Shovel-nosed Salamander (*Desmognathus marmoratus*).
- 109 8E. Seal Salamander (*Desmognathus monticola*).
- 110 9A. Ocoee Salamander (*Desmognathus ocoee*).
- 110 9B. Black-bellied Salamander (*Desmognathus quadramaculatus*).
- 110 9C. Santeetlah Salamander (*Desmognathus santeetlah*).
- 110 9D. Three-lined Salamander (*Eurycea guttolineata*).
- 110 9E. Junaluska Salamander (*Eurycea junaluska*).
- 111 10A. Long-tailed Salamander (*Eurycea longicauda*).

111	10B. Cave Salamander (<i>Eurycea lucifuga</i>).
111	10C. Blue Ridge Two-lined Salamander (<i>Eurycea wilderae</i>).
111	10D. Spring Salamander (<i>Gyrinophilus porphyriticus</i>).
111	10E. Four-toed Salamander (<i>Hemidactylium scutatum</i>).
112	11A. Common Mudpuppy (<i>Necturus maculosus</i>).
112	11B. Eastern Red-spotted Newt (<i>Notophthalmus viridescens</i>).
112	11C. Mud Salamander (<i>Pseudotriton montanus</i>).
112	11D. Black-chinned Red Salamander (<i>Pseudotriton ruber</i>).
113	12A. Northern Cricket Frog (<i>Acris crepitans</i>).
113	12B. American Toad (<i>Bufo americanus</i>).
113	12C. Fowler's Toad (<i>Bufo fowleri</i>).
114	13A. Eastern Narrow-mouthed Toad (<i>Gastrophryne carolinensis</i>).
114	13B. Cope's Gray Treefrog (<i>Hyla chrysoscelis</i>).
114	13C. Spring Peeper (<i>Pseudacris crucifer</i>).
115	14A. Upland Chorus Frog (<i>Pseudacris feriarum</i>).
115	14B. American Bullfrog (<i>Rana catesbeiana</i>).
116	15A. Northern Green Frog (<i>Rana clamitans</i>).
116	15B. Pickerel Frog (<i>Rana palustris</i>).
117	16A. Northern Leopard Frog (<i>Rana pipiens</i>).
117	16B. Wood Frog (<i>Rana sylvatica</i>).
117	16C. Eastern Spadefoot (<i>Scaphiopus holbrookii</i>).

Figures

3	1. Map of Great Smoky Mountains National Park, North Carolina and Tennessee
4	2. Map showing location of U.S. Geological Survey sampling sites in Great Smoky Mountains National Park, 1998 to 2001
3-26	Photos of:
7	3. Spruce-fir forest at Indian Gap
8	4. Deciduous forest at Lynn Hollow
9	5. Hemlock forest at Chinquapin Knob
10	6. Coarse woody debris in Cove forest at Roaring Fork
11	7. Oak-pine forest
14	8. Middle Prong at Tremont
15	9. Ideal habitat for Hellbenders in Lower Abrams Creek
15	10. Small stream in unnamed tributary to Falls Branch
16	11. Medium-sized stream in normal flow at Roaring Fork
16	12. Medium-sized stream in high water at Whiteoak Flats Branch
17	13. Entrance to Gregorys Cave
18	14. Rimstone pools and cave pool at Gregorys Cave
18	15. Rock face near Double Gap
19	16. Former trout pond mucky habitat in Cataloochee
19	17. Seep at Big Spring Cove

20	18. Gum Swamp at Cades Cove in high water
20	19. Gum Swamp at Cades Cove when dry
21	20. Gourley Pond at Cades Cove in high water
21	21. Gourley Pond at Cades Cove when dry
22	22. Methodist Church Pond at Cades Cove
22	23. Beaver pond at Big Cove
23	24. Woodland drainage pool at Cane Creek
26	25. Grassy pool at Cades Cove
27	26. Chilhowee Lake at mouth of Abrams Creek
30	27. Illustration of body morphology of a salamander larva: pond form; stream form
31	28. Illustration of body morphology of a tadpole
32	29. Illustration of oral disc (mouthparts) of a tadpole
	30-34. Photos of:
41	30. Biologist sampling with sweep net in Stupkas Sinkhole Pond at Cades Cove
42	31. Biologist looking for tadpoles at Shields Pond in Cades Cove
45	32. Turning logs in time-constrained survey at Beech Flats
46	33. Terrestrial time-constrained survey in thickly vegetated habitat at Balsam Mountain
46	34. Dip netting for salamander larvae in Abrams Creek
48	35. Schematic of a 30 x 40-meter sampling plot
48	36. Diagram of the relationship of three 30 x 40-meter fixed sampling plots
49	37. Photo of stream sampling at Balsam Mountain
50	38. Photo of checking identification and recording data during stream sampling at Balsam Mountain
51	39. Schematic of a combined transect/coverboard survey design
53	40. Photo of coverboards
55	41. Photo of PVC pipes on pine trees in Okefenokee National Wildlife Refuge
56	42. Schematic of a survey design using paired PVC pipes located at 10-meter intervals around a pond's perimeter
	43-46. Photos of:
57	43. Leaf litterbag in Little River
58	44. Checking leaf litterbag at Little River
59	45. Recording data in field as storm approaches at Cataloochee Divide
68	46. Washing boots and stump ripper in bleach solution for biosecurity
72	47. Flow chart of: Decision path for helping design an amphibian monitoring program at Great Smoky Mountains National Park based on three levels of funding

Tables

12	1. Identification and life history of the nonpermanently aquatic salamanders of Great Smoky Mountains National Park
24	2. Identification and reproductive life history of the frogs of Great Smoky Mountains National Park