

Supplemental references for the document “Development, analysis, and application of RORA and PART for estimating groundwater recharge and discharge in humid settings—A resource for frequently asked questions about the programs.”

The references below describe the application of RORA or PART or both in numerous hydrologic studies. Many of these are not in the list of references that go with the document.

Ayotte, J.D., Kernen, B.M., Wunsch, D.R., Argue, D.M., Bennett, D.S., and Mack, T.J., 2010, Preliminary assessment of water levels in bedrock wells in New Hampshire, 1984 to 2007: U.S. Geological Survey Open-File Report 2010-1189. (PART)

Barlow, P.M. and Dickerman, D.C., 2001, Numerical-simulation and conjunctive-management models of the Hunt-Annaquatucket-Pettaquamscutt stream-aquifer system, Rhode Island: U.S. Geological Survey Professional Paper 1636. (RORA and PART)

Bent, G.C., 2001, Effects of forest-management activities on runoff components and ground-water recharge to Quabbin Reservoir, central Massachusetts: *Forest Ecology and Management* 143: 115-129. (RORA and PART)

Bent, G.C., 1999, Streamflow, base flow, and ground-water discharge in the Housatonic River basin, western Massachusetts and parts of eastern New York and northwestern Connecticut: U.S. Geological Survey Water-Resources Investigations Report 98-4232. (RORA and PART)

Bent, G.C., 1995, Streamflow, ground-water recharge and discharge, and characteristics of surficial deposits in Buzzards Bay basin, southeastern Massachusetts: U.S. Geological Survey Water-Resources Investigations Report 95-4234. (RORA)

Bent, G.C., Zarriello, P.J., Granato, G.E., Masterson, J.P., Walter, D.A., Waite, A.M., and Church, P.E., 2011, Simulated effects of water withdrawals and land-use changes on streamflows and groundwater levels in the Pawcatuck River Basin, southwestern Rhode Island and southeastern Connecticut: U.S. Geological Survey Scientific Investigations Report 2009-5127. (PART)

Carleton, G.B. and Gordon, A.D., 2007, Hydrogeology of, and simulation of ground-water flow in, Pohatcong Valley, Warren County, New Jersey: U.S. Geological Survey Scientific Investigations Report 2006-5269. (PART)

Cauler, S.J. and Carleton, G.B., 2006, Hydrogeology and simulated effects of ground-water withdrawals, Kirkwood-Cohansey Aquifer System, Upper Maurice River Basin area, New Jersey: U.S. Geological Survey Scientific Investigations Report 2005-5258.

Coes, A.L., Spruill, T.B., and Thomasson, M.J., 2007, Multiple-method estimation of recharge rates at diverse locations in the North Carolina Coastal Plain, USA: *Hydrogeology Journal* 15: 773-788. (RORA)

Combalicer, E.A., Lee, S.H., Ahn, S., Kim, D.Y., and Im, S., 2008, Comparing groundwater recharge and base flow in the Bukmoongol small-forested watershed, Korea: *Journal of Earth System Science* 117, no. 5: 553-566. (RORA and PART)

Delin, G.N. and Falteisek, J.D., 2007, Ground-water recharge in Minnesota: U.S. Geological Survey Fact Sheet 2007-3002. (RORA)

Delin, G.N., Healy, R.W., Lorenz, D.L., and Nimmo, J.R., 2007, Comparison of local- to regional-scale estimates of ground-water recharge in Minnesota, USA: *Journal of Hydrology* 334, no. 1-2: 231-249. (RORA)

Delin, G.N. and Risser, D.W., 2007, Ground-water recharge in humid areas of the United States: A summary of ground-water resources program studies, 2003-2006: U.S. Geological Survey Fact Sheet 2007-3007. (RORA)

DeSimone, L.A., 2004, Simulation of ground-water flow and evaluation of water-management alternatives in the Assabet River Basin, eastern Massachusetts: U.S. Geological Survey Scientific Investigations Report 2004-5114. (RORA and PART)

DeSimone, L.A., Walker, D.A., Eggleston, J.R., and Nimiroski, M.T., 2002, Simulation of ground-water flow and evaluation of water-management alternatives in the Upper Charles River Basin, eastern Massachusetts: U.S. Geological Survey Water-Resources Investigations Report 02-4234. (PART)

Dripps, W.R., Hunt, R.J., and Anderson, M.P., 2006, Estimating recharge rates with analytic element models and parameter estimation: *Ground Water* 44, no. 1: 47-55. (PART)

Dumouchelle, D.H. and Schiefer, M.C., 2002, Use of streamflow records and basin characteristics to estimate ground-water recharge rates in Ohio: Water Bulletin 46. Columbus, Ohio. Ohio Department of Natural Resources Division. (RORA and PART)

Flynn, R.H., and Tasker, G.D., 2004, Generalized estimates from streamflow data of annual and seasonal ground-water recharge rates for drainage basins in New Hampshire: U.S. Geological Survey Scientific Investigations Report 2004-5019. (RORA)

Gordon, A.D., 2004, Hydrology of the unconfined Kirkwood-Cohansey aquifer system, Forked River and Cedar, Oyster, Mill, Westecunk and Tuckerton Creek basins and adjacent basins in the southern Ocean County area, New Jersey, 1998-99: U.S. Geological Survey Water-Resources Investigations Report 2003-4337. (PART)

Granato, G.E., Barlow, P.M., and Dickerman, D.C., 2003, Hydrogeology and simulated effects of ground-water withdrawals in the Big River area, Rhode Island: U.S. Geological Survey Water-Resources Investigations Report 03-4222. (RORA)

Harlow, G.E., Jr., Orndorff, R.C., Nelms, D.L., Weary, D.J., and Moberg, R.M., 2005, Hydrogeology and ground-water availability in the carbonate aquifer system of Frederick County, Virginia: U.S. Geological Survey Scientific Investigations Report 2005-5161, p. 30. (PART)

Holtschlag, D. J., 1997, A generalized estimate of ground-water-recharge rates in the Lower Peninsula of Michigan: U.S. Geological Survey Water-Supply Paper 2437. (PART)

Hubbard, E.F., Landwehr, J.M., and Barker, A.R., 1997, Temporal variability in the hydrologic regimes of the United States. In FRIEND'97—Regional Hydrology: Concepts and models for sustainable water resources management: Proceedings of the Postojna, Slovenia Conference, September–October 1997. IAHS Publication no. 246: 97-103. (PART)

Kozar, M.D., Mathes, M.V., 2001, Aquifer-characteristics data for West Virginia: U.S. Geological Survey Water-Resources Investigations Report 01-4036. (RORA)

Landwehr, J.M., Barker, A.R., and Hubbard, E.F., 1996, Variation in base flow for streamflow systems of various sizes throughout the United States over this century, in GEWEX Second International Conference on the Global Energy and Water Cycle, 17-21 June 1996, 182-183, Washington, D.C. (PART)

Lee, C.H., Chen, W.P., and Ru-Huang Lee., 2006, Estimation of groundwater recharge using water balance coupled with base-flow-record estimation and stable-base-flow analysis: *Environmental Geology* 51: 73-82. (PART)

Lee, K.K. and Risley, J.C., 2002, Estimates of ground-water recharge, base flow, and stream reach gains and losses in the Willamette River Basin, Oregon: U.S. Geological Survey Water Resources Investigations Report 01-4215. (RORA and PART)

Lorenz, D.L. and Delin, G.N., 2007, A regression model to estimate regional ground water recharge: *Groundwater* 45, no. 2: 196-208. (RORA)

Mack, T.J., 2008, Assessment of ground-water resources in the seacoast region of New Hampshire. U.S. Geological Survey Scientific Investigations Report 2008-5222. (RORA and PART)

Mack, T.J., Akbari, M.A., Ashoor, M.H., Chornack, M.P., Coplen, T.B., Emerson, D.G., Hubbard, B.E., Litke, D.W., Michel, R.L., Plummer, L.N., Rezai, M.T., Senay, G.B., Verdin, J.P., and Verstraeten, I.M., 2010, Conceptual model of water resources in the Kabul Basin, Afghanistan: U.S. Geological Survey Scientific Investigations Report 2009-5262. (PART)

- Mau, D.P., and Winter T.C., 1997, Estimating ground-water recharge from streamflow hydrographs for a small mountain watershed in a temperate humid climate, New Hampshire, USA: *Ground Water* 35, no. 2: 291-304. (RORA)
- Mullaney, J.R., 2003, Water use, ground-water recharge and availability, and quality of water in the Greenwich area, Fairfield County, Connecticut and Westchester County, New York, 2000-2002: U.S. Geological Survey Water-Resources Investigations Report 03-4300. (PART)
- Mullaney, J.R., 2007, Nutrient loads and ground-water residence times in an agricultural basin in north-central Connecticut: U.S. Geological Survey Scientific Investigations Report 2006-5278. (PART)
- Mullaney, J.R., 2013, Nutrient concentrations and loads and *Escherichia coli* densities in tributaries of the Niantic River estuary, southeastern Connecticut, 2005 and 2008-2011: U.S. Geological Survey Scientific Investigations Report 2013-5008. (PART)
- Neff, B.P., Piggott, A.R., and Sheets, R.A., 2005, Estimation of shallow ground-water recharge in the Great Lakes Basin: U.S. Geological Survey Scientific Investigations Report 2005-5284. (PART)
- Nelms, D.L., and Moberg, Jr., R.M., 2010, Hydrogeology and groundwater availability in Clarke County, Virginia: U.S. Geological Survey Scientific Investigations Report 2010-5112. (PART)
- Nelms, D.L., and Moberg, Jr., R.M., 2010, Preliminary assessment of the hydrogeology and groundwater availability in the metamorphic and siliciclastic fractured-rock aquifer systems of Warren County, Virginia: U.S. Geological Survey Scientific Investigations Report 2010-5190, 74 p. (PART)
- Nelms, D.L., Harlow Jr., G.E., and Hayes, D.C., 1997, Base-flow characteristics of streams in the Valley and Ridge, the Blue Ridge, and the Piedmont Physiographic Provinces of Virginia: U.S. Geological Survey Water-Supply Paper 2457. (PART)
- Nicholson, R.S., and Watt, M.K., 1997, Simulation of ground-water flow in the unconfined aquifer system of the Toms River, Metedeconk River, and Kettle Creek basins, New Jersey: U.S. Geological Survey Water-Resources Investigations Report 97-4066. (RORA)
- Reynolds, R.J., 2004, Hydrogeology and water quality of the Pepacton Reservoir Watershed in southeastern New York, Part 2. Hydrogeology, stream base flow, and ground-water recharge: U.S. Geological Survey Scientific Investigations Report 2004-5134. (RORA and PART)
- Richardson, D.L., 1994, Ground-water discharge from the Coastal Plain of Virginia: U.S. Geological Survey Water-Resources Investigations Report 93-4191. (RORA)

Risser, D.W., Conger, R.W., Ulrich, J.E., and Asmussen M.P., 2005, Estimates of ground-water recharge based on streamflow-hydrograph methods: Pennsylvania: U.S. Geological Survey Open-File Report 2005-1333. (RORA and PART)

Risser, D.W., Gburek, W.J., and Folmar, G.J., 2005, Comparison of methods for estimating ground-water recharge and base flow at a small watershed underlain by fractured bedrock in the eastern United States: U.S. Geological Survey Scientific Investigations Report 2005-5038. (RORA and PART)

Risser, D.W., Gburek, W.J., and Folmar, G.J., 2009, Comparison of recharge estimates at a small watershed in east-central Pennsylvania, USA: *Hydrogeology Journal* 17, no. 2: 287-298. (RORA and PART)

Rutledge, A.T. and Mesko, T.O., 1996, Estimating hydrologic characteristics of shallow aquifer systems in the Valley and Ridge, the Blue Ridge, and the Piedmont physiographic provinces based on analysis of streamflow recession and base flow: U.S. Geological Survey Professional Paper 1422-B. (RORA and PART)

Sanford, W.E., Nelms, D.L., Pope, J.P., and Selnick, D.L., 2012, Quantifying components of the hydrologic cycle in Virginia using chemical hydrograph separation and multiple regression analysis: U.S. Geological Survey Scientific Investigations Report 2011-5198. (PART)

Schultz, C., Tipton, D., and Palmer, J., 2004, Annual and seasonal water budgets for the Monocacy/Catocton drainage area. Report 04-04. Rockville, Maryland: Interstate Commission on the Potomac River Basin. (RORA and PART)

Starn, J.J., Stone, J.R., and Mullaney, J.R., 2000, Delineation and analysis of uncertainty of contributing areas to wells at the Southbury Training School, Southbury, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 00-4158. (RORA and PART)

Walker, R.L., Nicholson, R.S., and Storck, D.A., 2011, Hydrologic assessment of three drainage basins in the Pinelands of southern New Jersey, 2004-06: U.S. Geological Survey Scientific Investigations Report 2011-5056. (PART)

Watt, M.K., Kane, A.C., Charles, E.G., and Storck, D.A., 2003, Hydrology of the unconfined aquifer system, Rancocas Creek area, Rancocas, Crosswicks, Assunpink, Assicunk, Blacks, and Crafts Creek Basins, New Jersey: U.S. Geological Survey Water Resources Investigations Report 2002-4280. (PART)