

RESERVOIR SEDIMENTATION
DATA SUMMARY

Kohart Pond

22-14

NAME OF RESERVOIR

DATA SHEET NO.

DAM	1. OWNER Fred Kohart			2. RIVER			3. STATE Ohio		
	4. SEC. TWP. 1 N RANGE 4E			5. NEAREST TOWN ONE Grover Hill			6. COUNTY Paulding		
	7. STREAM BED ELEV.			8. TOP OF DAM ELEV.			9. SPILLWAY CREST ELEV.		
RESERVOIR	10. STORAGE ALLOCATION	11. ELEVATION TOP OF POOL	12. SURFACE AREA ACRES	13. STORAGE ACRE- FEET	14. ACCUMULATED ACRE- FEET	15. DATE STORAGE BEGAN			
	a. FLOOD CONTROL					Sep. 1943			
	b. POWER								
	c. WATER SUPPLY		1.02	2.41	2.41	16. DATE NORMAL OPER. BEGAN			
	d. IRRIGATION								
	e. CONSERVATION								
	f. INACTIVE					Sep. 1943			
17. LENGTH OF RESERVOIR			MILES	17. AV. WIDTH OF RESERVOIR			MILES		
WATERSHED	18. TOTAL DRAINAGE AREA 0.021			SQ. MI.	22. MEAN ANNUAL PRECIPITATION			INCHES	
	19. NET SEDIMENT CONTRIBUTING AREA 0.019			SQ. MI.	23. MEAN ANNUAL RUNOFF			INCHES	
	20. LENGTH		MILES	20. AV. WIDTH		MILES	24. MEAN ANNUAL RUNOFF 500 A.F./sq.mi. approx.		
	21. MAX. ELEV.		MIN. ELEV.		25. CLIMATIC CLASSIFICATION				
SURVEY DATA	26. DATE OF SURVEY	27. PERIOD YEARS	28. ACCL. YEARS	29. TYPE OF SURVEY	30. NO. OF RANGES OR CONTOUR INT.	31. SURFACE AREA ACRES	32. CAPACITY ACRE- FEET	33. C/W RATIO (1) AC-FT. PER SQ. MI.	
	Sep. 1943	-	-	-	-	1.02	2.4	114	
	Jul. 1951	7.8	7.8	Range (D)	9	1.02	2.3	110	
	26. DATE OF SURVEY	34. PERIOD ANNUAL PRECIPITATION	35. PERIOD WATER INFLOW ACRE- FEET			36. WATER INFL. TO DATE AC-FT.			
			a. MEAN ANNUAL	b. MAX. ANNUAL	c. PERIOD TOTAL	a. MEAN ANNUAL	b. TOTAL TO DATE		
	Jul. 1951	0.8	0.010	0.53	0.08	0.010	0.53		
	26. DATE OF SURVEY	37. PERIOD SEDIMENT DEPOSITS ACRE- FEET			38. TOTAL SED. DEPOSITS TO DATE ACRE- FEET.				
		a. PERIOD TOTAL	b. AV. ANNUAL	c. PER SQ. MI.-YEAR	a. TOTAL TO DATE	b. AV. ANNUAL	c. PER SQ. MI.-YEAR		
	26. DATE OF SURVEY	39. AV. DRY WGT. LBS. PER CU. FT.	40. SED. DEP. TONS PER SQ. MI.-YR.		41. STORAGE LOSS PCT.	42. SED. INFLOW PPM			
		a. PERIOD	b. TOTAL TO DATE	a. AV. ANNUAL	b. TOT. TO DATE	a. PERIOD	b. TOT. TO DATE		
Jul. 1951	26.1	301	301	0.41	3.3	-	-		

(1) C/I ratio 0.23 in 1943 and 0.22 in 1951. Trap efficiency estimated at 93% up to 1951.

26. DATE OF SURVEY	43. DEPTH DESIGNATION RANGE IN FEET ABOVE, AND BELOW, CREST ELEVATION														
	PERCENT OF TOTAL SEDIMENT LOCATED WITHIN DEPTH DESIGNATION														
26. DATE OF SURVEY	44. REACH DESIGNATION PERCENT OF TOTAL ORIGINAL LENGTH OF RESERVOIR														
	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	-105	-110	-115	-120	-125
	PERCENT OF TOTAL SEDIMENT LOCATED WITHIN REACH DESIGNATION														
45. RANGE IN RESERVOIR OPERATION															
WATER YEAR	MAX. ELEV.	MIN. ELEV.	INFLOW AC.-FT.	WATER YEAR	MAX. ELEV.	MIN. ELEV.	INFLOW AC.-FT.								
46. ELEVATION-AREA-CAPACITY DATA															
ELEVATION	AREA	CAPACITY	ELEVATION	AREA	CAPACITY	ELEVATION	AREA	CAPACITY							
47. REMARKS AND REFERENCES															
100% pasture. Total load adjusted for trap efficiency 350 tons/sq.mi./yr.															
48. AGENCY SUPPLYING DATA Ohio Division of Water															
49. DATE <u>June 21, 1954</u>															